


COFFEE GRINDER WMK 250



COFFEE GRINDER WMK 250

- » *Dust-tight design*
- » *Servo-adjustment of the grinding gap*
- » *Reproducible and constant grinding degree*
- » *Minimum maintenance requirements*
- » *Remote control*
- » *Customer and product-specific roller corrugation*
- » *Compactor appropriate for particularly high compaction rates*

Technical features:

- Multi-stage, gradual grinding
- Central drive for two grinds
- Roller drive without shearing forces due to homocinetic cardan shafts (universal joints)
- Spur gear and timing belt drive
- Mixer / compactor for crushing of chaff and increase of the bulk density
- Uniform particle size distribution and high throughput capacity for espresso, filter coffee and instant coffee grinding
- Magnetic metal separator

Options:

- Roller heating / cooling and cooling unit
- Servo adjustment of the grinding gap
- Technical gas-tight design
- Bearing temperature control
- Continuous adjustment of the compactor via servomotor
- Vibration control

Range of products

Type	Grinds			Mixer / compactor	Roller length (mm)	Capacity abt* (kg/h)				
	1	2	3			0	1000	2000	3000	4000
WMK 72		●		●	700	1050	1750			
WMK 73			●	●	700	1350	2250			
WMK 71 I	●				700	2100				
WMK 72 I		●			700	2400				
WMK 102		●		●	1000	1500	2500			
WMK 103			●	●	1000	1950	3250			
WMK 101 I	●				1000	3000				
WMK 102 I		●			1000	3500				
WMK 142		●		●	1400	2100	3500			
WMK 143			●	●	1400	2750	4550			
WMK 141 I	●				1400	4200				
WMK 142 I		●			1400	4900				
WMK 172		●		●	1700	2550	4250			
WMK 173			●	●	1700	3300	5500			
WMK 171 I	●				1700	5100				
WMK 172 I		●			1700	6000				

*Depending on roasting, temperature, fineness of grinding and moisture

■ Espresso ■ Filter fine ■ Instant